

COMPARISON CHARTKIRKLAND SIGNATURE™
INFANT FORMULAEnfamil®
LIPII®Similac®
ADVANCE®**Nutrients/100 Calories**

Protein g	2.1	2.1	2.07
Fat g	5.3	5.3	5.49
Carbohydrate g	10.9	10.9	10.56
Water g	133	134	133
Linoleic Acid mg	900	860	1000

Vitamins:

Vitamin A IU	300	300	300
Vitamin D IU	60	60	60
Vitamin E IU	1.5	2	1.5
Vitamin K mcg	8	8	8
Vitamin B ₁ mcg	100	80	100
Vitamin B ₂ mcg	150	140	150
Vitamin B ₆ mcg	60	60	60
Vitamin B ₁₂ mcg	0.25	0.3	0.25
Niacin mcg	1050	1000	1050
Folic Acid mcg	15	16	15
Pantothenic Acid mcg	450	500	450
Biotin mcg	4.4	3	4.4
Vitamin C mg	9	12	9
Choline mg	16	24	16
Inositol mg	4.7	6	4.7

Minerals:

Calcium mg	78	78	78
Phosphorus mg	56	43	42
Magnesium mg	6	8	6
Iron mg	1.8	1.8	1.8
Zinc mg	0.75	1	0.75
Manganese mcg	5	15	5
Copper mcg	90	75	90
Iodine mcg	6	10	6
Selenium mcg	1.8	2.8	1.8
Sodium mg	22	27	24
Potassium mg	83	108	105
Chloride mg	63	63	65

Added Lipids:

DHA mg	17	17	8
ARA mg	34	34	22

* A source of Arachidonic Acid (ARA)

† A source of Docosahexaenoic Acid (DHA)

USE AS DIRECTED BY YOUR DOCTOR. Make sure you are following preparation directions for powder. Repeated use of improperly prepared formula could cause illness.

DIRECTIONS FOR PREPARATION AND USE:

1. Wash your hands, surfaces and utensils.
2. Boil clean bottles, nipples and rings for 5 minutes, then cool.
3. Heat additional water for formula to a rolling boil; let boiled water cool to a warm temperature.
4. Pour warm water into individual bottles. Using enclosed scoop, add 1 level unpacked scoop of powder (8.7 g) for each 2 fl. oz. of warm water. Always add powder to water.
5. Cap bottle and shake very well; attach nipple and ring; test temperature.
6. Feed immediately or cover and refrigerate bottled formula and use within 24 hours. Discard unused formula left in bottle within 1 hour after feeding begins.



To make a larger amount of formula (approximately 26 fl oz of formula), add 1 **unpacked level household measuring cup (NOT the enclosed scoop)** of Powder (100 g) to 23 fl oz of water. To maintain freshness, put prepared formula into individual feeding bottles, cap tightly, refrigerate, and use within 24 hours.

IMPORTANT: Cover opened can and store in a cool, dry place (not in refrigerator). **Use within 1 month of opening.** Store unopened can(s) at room temperature. Avoid extreme temperatures.

WARNING: DO NOT USE MICROWAVE TO PREPARE OR WARM FORMULA. SERIOUS BURNS MAY OCCUR. Contents of each can yield approximately 187 fl. oz. of formula.

This formula is manufactured in compliance with, and meets the nutritional requirements of, the Federal Food, Drug and Cosmetic Act for infant formula under the guidelines of the U.S. Food and Drug Administration.

INGREDIENTS: NONFAT MILK, LACTOSE, HIGH OLEIC SAFFLOWER OIL, SOY OIL, COCONUT OIL; **LESS THAN 2% OF:** ASCORBYL PALMITATE, TAURINE, MIXED TOCOPHEROLS, CYTIDINE 5'-MONOPHOSPHATE, DISODIUM GUANOSINE 5'-MONOPHOSPHATE, DISODIUM URIDINE 5'-MONOPHOSPHATE, ADENOSINE 5'-MONOPHOSPHATE, BETA-CAROTENE, MORTIERELLA ALPINA OIL*, CRYPTHECODINIUM COHNII OIL†, POTASSIUM HYDROXIDE. **MINERALS:** POTASSIUM CITRATE, CALCIUM CARBONATE, FERROUS SULFATE, ZINC SULFATE, CUPRIC SULFATE, MANGANESE SULFATE, SODIUM SELENATE. **VITAMINS:** ASCORBIC ACID, CHOLINE CHLORIDE, m-INOSITOL, CHOLINE BITARTRATE, NIACINAMIDE, d-ALPHA-TOCOPHERYL ACETATE, CALCIUM PANTOTHENATE, VITAMIN A PALMITATE, THIAMINE CHLORIDE HYDROCHLORIDE, RIBOFLAVIN, PYRIDOXINE HYDROCHLORIDE, FOLIC ACID, PHYLLOQUINONE, BIOTIN, VITAMIN D₃ AND CYANOCOBALAMIN.

CONTAINS MILK INGREDIENTS.

5 FL. OZ. PROVIDE 100 CALORIES WHEN PREPARED AS DIRECTED.

NUTRIENTS: PER 100 CALORIES

PROTEIN	2.1 g	WATER	133 g
FAT	5.3 g	LINOLEIC ACID	900 mg
CARBOHYDRATE . . .	10.9 g		

VITAMINS:

VITAMIN A	300 IU	NIACIN	1050 mcg
VITAMIN D	60 IU	FOLIC ACID	
VITAMIN E	1.5 IU	(FOLACIN)	15 mcg
VITAMIN K	8 mcg	PANTOTHENIC ACID	450 mcg
THIAMINE (VIT. B ₁)	100 mcg	BIOTIN	4.4 mcg
RIBOFLAVIN		VITAMIN C	
(VIT. B ₂)	150 mcg	(ASCORBIC ACID)..	9 mg
VITAMIN B ₆	60 mcg	CHOLINE	16 mg
VITAMIN B ₁₂	0.25 mcg	INOSITOL	4.7 mg

MINERALS:

CALCIUM	78 mg	COPPER	90 mcg
PHOSPHORUS	56 mg	IODINE	6 mcg
MAGNESIUM	6 mg	SELENIUM	1.8 mcg
IRON	1.8 mg	SODIUM	22 mg
ZINC	0.75 mg	POTASSIUM	83 mg
MANGANESE	5 mcg	CHLORIDE	63 mg